


Powered Cold Knife Blades

Applications

BTB's Powered Cold Knife Blades cut underneath the glass edge **from outside the vehicle** for a fast cut-out similar to a manual cold/pull knife. However, there is no physical force, strain on operator or pressure on glass, because the BTB power tool does all the cutting work, more efficiently and far safer for the vehicle and yourself. Due to the reciprocating **in-line** blade action, these thin and smoothly polished blades can operate between most close fitted glass and pinchwelds without damage to painted pinchweld wall.

Reverse profile 'R' **ORANGE** blades are for saving expensive encapsulated glasses. They are designed to cut with the flat side of the blade against the pinchweld of vehicle body panel and underneath the encapsulated moulding.


CUTTING FROM OUTSIDE OF VEHICLE



- TIP**
1. Always start using the shortest blade tip available, then progress to longer blade tip if required.
 2. If the adhesive is set further back from the glass edge, BTB recommends an internal cut method using Standard Straight, 'Z' or Bent blades **OR** if exposed edge glass, use WK4ZR-S reverse blade from outside vehicle **as shown on page 18**.

Part / Tip Length				Blade Tip Direction
WK27S 19 mm	WK27M 25 mm	WK27L 30 mm	WK27XL 45 mm	WK27 » tip facing left
WK28S 19 mm	WK28M 25 mm	WK28L 30 mm	WK28XL 45 mm	
				WK28 » tip facing right

Part / Tip Length	Application
WK27RM 25 mm	Reverse 'R' ORANGE blades have the flat side of cutting tip down and cut underneath the encapsulation from outside the vehicle.
WK28RM 25 mm	



Part / Tip Length		Application
WK29L 30 mm	WK30L 30 mm	Wide angle allows blade to cut underneath panoramic roof frame.
WK29AL 30 mm	WK30AL 30 mm	

